

TIN m.p.=231.97°C d=5.8g/cm<sup>3</sup>

code No.	form	purity	min.quantity	price
SN-30-70-0002	☐ <sub>2</sub> powder, -100mesh	3N	50g	6,000
SN-30-70-0005 ★	☐ <sub>2</sub> powder, -100mesh	4N	100g	45,000
SN-30-70-0010	☐ <sub>2</sub> powder, -325mesh	3N	50g	5,000
SN-35-70-0020	☐ <sub>2</sub> powder, -250mesh	3N	50g	6,000
SN-30-70-0030 ☆	☐ <sub>2</sub> powder, -325mesh	4N	100g	45,000
SN-71-70-0040	☐ <sub>2</sub> powder, -100mesh	5N	10g	42,000
			50g	discuss
SN-88-77-0050	pellet, φ5×20 mm	3N5	100g	6,000
			500g	27,000
SN-56-74-0060	shot, 約 2-6 mm	4N	50g	5,000
SN-11-74-0070	shot, 約 3-4 mm	5N	50g	8,000
SN-84-74-0075	shot, 約 2-4 mm	6N	10g	13,000
			25g	24,000
SN-88-80-0080	ingot, pellet 12×25×30 mm (65g)	4N	500g	20,000
			1kg	30,000
SN-08-80-0082	ingot, 5-10 mm	4N	100g	8,000
			500g	30,000
			1kg	50,000
SN-08-80-0085	ingot, 約 100g	4N	1pc	9,000
SN-84-80-0090 ☆	ingot, 約 100g	5N	1pc	discuss
SN-84-74-0095 ★	ingot, 約 100g	6N	1pc	discuss
SN-32-83-0110	sheet, 0.1 <sup>t</sup> ×100×100 mm	3N	1s	11,000
SN-71-83-0115 ★	sheet, 0.1 <sup>t</sup> ×100×100 mm	4N8	1s	65,000
SN-32-83-0130	sheet, 0.2 <sup>t</sup> ×100×100 mm	3N	1s	9,000
SN-71-83-0140	sheet, 0.25 <sup>t</sup> ×100×100 mm	4N8	1s	65,000
SN-32-83-0150	sheet, 0.3 <sup>t</sup> ×100×100 mm	3N	1s	10,000
SN-32-83-0160	sheet, 0.5 <sup>t</sup> ×100×100 mm	3N	1s	12,000
SN-71-83-0165 ★	sheet, 0.5 <sup>t</sup> ×100×100 mm	4N85	1s	80,000
SN-32-83-0190	sheet, 0.6 <sup>t</sup> ×100×100 mm	3N	1s	12,000
SN-32-83-0200	sheet, 0.8 <sup>t</sup> ×100×100 mm	3N	1s	13,000
SN-32-83-0210	sheet, 1 <sup>t</sup> ×100×100 mm	3N	1s	15,000
SN-88-83-0215	sheet, 1 <sup>t</sup> ×100×100 mm	4N	1s	discuss
SN-32-83-0225	sheet, 1 <sup>t</sup> ×50×100 mm	5N	1s	50,000
SN-32-83-0230	sheet, 2 <sup>t</sup> ×100×100 mm	3N	1s	17,000
SN-88-83-0235	sheet, 2 <sup>t</sup> ×100×100 mm	4N	1s	discuss
SN-32-83-0240	sheet, 3 <sup>t</sup> ×100×100 mm	3N	1s	26,000

# Sn

code No.	form	purity	min.quantity	price
SN-88-83-0245	sheet, 3 <sup>t</sup> ×100×100 mm	4N	1s	discuss
SN-32-83-0250	sheet, 5 <sup>t</sup> ×100×100 mm	3N	1s	40,000
SN-08-83-0255	sheet, 5 <sup>t</sup> ×100×100 mm	4N	1s	50,000
SN-08-83-0257	sheet, 8 <sup>t</sup> ×100×100 mm	4N	1s	55,000
SN-08-83-0260	sheet, 10 <sup>t</sup> ×100×100 mm	3N5	1s	40,000
SN-08-83-0262	sheet, 10 <sup>t</sup> ×100×100 mm	4N	1s	60,000
SN-32-85-0270	rod, φ 6×50 mm	5N+	1pc	22,000
SN-32-85-0273	rod, φ 6×500 mm	3N	1pc	16,000
SN-02-85-0274	rod, φ 6×100 mm	4N	1pc	25,000
SN-02-85-0275	rod, φ 10×100 mm	4N	1pc	25,000
SN-02-85-0280	rod, φ 10×100 mm	5N	1pc	30,000
SN-08-85-0281	rod, φ 20×100-200 mm	4N	1pc	discuss
SN-08-85-0282	rod, φ 30×100-200 mm	4N	1pc	discuss
SN-08-85-0283	rod, φ 20×100 mm	5N	1pc	discuss
SN-32-86-0290	wire, φ 0.15 mm	3N	1m	6,000
SN-32-86-0300	wire, φ 0.2 mm	3N	1m	6,000
SN-32-86-0310	wire, φ 0.5 mm	3N	10m	8,000
SN-32-86-0320	wire, φ 0.6 mm	3N	10m	8,000
SN-32-86-0330	wire, φ 0.8 mm	3N	10m	10,000
SN-32-86-0340	wire, φ 1 mm	3N	5m	8,000
SN-88-86-0341	wire, φ 1 mm	4N	1m	8,000
SN-71-86-0342 ★	wire, φ 1 mm	4N8	2.5m	40,000
SN-32-86-0350	wire, φ 2 mm	3N	5m	11,000
SN-32-86-0360	wire, φ 3 mm	3N	1m	6,000
SN-88-86-0363	wire, φ 3 mm	3N5	500 mm	8,000
SN-88-86-0365	wire, φ 3 mm	4N	1m	discuss
SN-32-86-0370	wire, φ 5 mm	3N	1m	10,000
SN-02-77-0395	pellet, φ 10×5 mm <sup>t</sup>	4N	5s	35,000
SN-02-77-0396	pellet, φ 10×5 mm <sup>t</sup>	5N	5s	45,000
SN-02-82-0397	disk, φ 20×5 mm <sup>t</sup>	4N	1s 5s	12,000 50,000
SN-02-82-0398	disk, φ 20×5 mm <sup>t</sup>	5N	1s	22,000
SN-02-82-0399	disk, φ 20×5 mm <sup>t</sup>	6N	1s	discuss
SN-08-82-0400	disk, various size	4-5N	1s	discuss

code No.	form	purity	min.quantity	price
SN-02-90-0410	target, $\phi$ 50-50.8 $\times$ 5 mm <sup>t</sup>	4N	1s	40,000
SN-02-90-0411	target, $\phi$ 76.2-101.6 $\times$ 5 mm <sup>t</sup>	4N	1s	60,000
SN-02-90-0412	target, $\phi$ 50-50.8 $\times$ 5 mm <sup>t</sup>	5N	1s	55,000
SN-02-90-0413	target, $\phi$ 76.2-101.6 $\times$ 5 mm <sup>t</sup>	5N	1s	discuss
AS-83-90-0500 ☆	Al-Sn, target, $\phi$ 50-101.6 $\times$ 2-5 mm <sup>t</sup>	4-5N	1s	discuss
SA-83-90-0501 ☆	Sn-Ag, target, $\phi$ 50-101.6 $\times$ 2-5 mm <sup>t</sup>	4-5N	1s	discuss
SI-83-90-0502 ☆	Sn-In, target, $\phi$ 50-101.6 $\times$ 2-5 mm <sup>t</sup>	4-5N	1s	discuss
NS-83-90-0503 ☆	Ni-Sn, target, $\phi$ 50-101.6 $\times$ 2-5 mm <sup>t</sup>	4-5N	1s	discuss
AS-08-65-0300 ☆	Al-Sn 系合金 shot, 2-4 mm	4N	50g	discuss
SI-08-65-0300 ☆	Sn-In 系合金 shot, 2-4 mm	4N	50g	discuss
AZ-08-65-0310 ☆	Au-Sn 系合金 shot, 2-4 mm	4N	10g	discuss
SN-08-65-0320 ☆	その他 Sn 系合金	4N		discuss

その他の合金については別途お見積り致します。FA×:03-3263-6859